

REFERENCE LIST

for Inspection and repair of Well Control Equipment onshore / offshore

Equipment	OEM Brand	Type	Size	Pressure rating	Quantity
Annular BOP	Cavins	S-BP50-B	4 1/16"	3.000 PSI	1
Annular BOP	Shaffer	Spherical	7 1/16"	3.000 PSI	2
Annular BOP	Hydril	GK	7 1/16"	3.000 PSI	2
Annular BOP	Townsend - Cameron	T84	7 1/16"	3.000 PSI	2
Annular BOP	Cameron	DL	7 1/16"	3.000 PSI	4
Annular BOP	Shaffer	Spherical	7 1/16"	5.000 PSI	4
Annular BOP	Townsend - Cameron	T84	9"	3.000 PSI	2
Annular BOP	Hydril	GK	11"	3.000 PSI	2
Annular BOP	Hydril	GK	11"	5.000 PSI	3
Annular BOP	Cameron	DL	11"	10.000 PSI	2
Annular BOP	T3	GK	13 5/8"	5.000 PSI	6
Annular BOP	Stewart & Stevenson	GK	13 5/8"	5.000 PSI	2
Annular BOP	Hydril	GK	13 5/8"	5.000 PSI	4
Annular BOP	Cameron	DL	13 5/8"	5.000 PSI	2
Annular BOP	Townsend	T90	13 5/8"	5.000 PSI	2
Annular BOP	NOV / Shaffer	Spherical	13 5/8"	5.000 PSI	20
Annular BOP	T3	Spherical	13 5/8"	5.000 PSI	14
Annular BOP	NOV / Shaffer	Spherical	13 5/8"	10.000 PSI	2
Annular BOP	NOV / Shaffer	Spherical	20 3/4"	3.000 PSI	2
Annular BOP	NOV / Shaffer	Spherical	21 1/4"	2.000 PSI	8
Annular BOP	NOV / Shaffer	Spherical	21 1/4"	5.000 PSI	1
Annular BOP	T3	Diverter	29 1/2"	500 PSI	2
Annular BOP	NOV / Shaffer	Diverter	30"	1.000 PSI	2
Annuram BOP	Cameron	U- & DType	7 1/16"	3.000 PSI	2
Singe RAM BOP	Townsend - Cameron	T81	7 1/16"	3.000 PSI	2
Singe RAM BOP	Cameron	U-Type	7 1/16"	10.000 PSI	2
Singe RAM BOP	Townsend - Cameron	T81	9"	5.000 PSI	4
Singe RAM BOP	Cameron	U-Type	11"	10.000 PSI	4
Singe RAM BOP	Cameron	U-Type	13 5/8"	5.000 PSI	4
Singe RAM BOP	Cameron	U-Type	13 5/8"	10.000 PSI	16
Singe RAM BOP	T3	U-Type	13 5/8"	10.000 PSI	2
Singe RAM BOP	NOV / Shaffer	SL	13 5/8"	10.000 PSI	2
Singe RAM BOP	Control Flow	U-Type	13 5/8"	10.000 PSI	4
Singe RAM BOP	Control Flow	U-Type	13 5/8"	15.000 PSI	1
Singe RAM BOP	NOV / Shaffer	LWS	20 3/4"	3.000 PSI	2
Singe RAM BOP	AXON	Type 50	20 3/4"	3.000 PSI	3
Singe RAM BOP	Cameron	U-Type	20 3/4"	3.000 PSI	2
Singe RAM BOP	T3	U-Type	20 3/4"	3.000 PSI	2

REFERENCE LIST

for Inspection and repair of Well Control Equipment onshore / offshore

Double RAM BOP	Shaffer	LWP	7 1/16"	3.000 PSI	5
Double RAM BOP	Cameron	U-Type	7 1/16"	3.000 PSI	4
Double RAM BOP	Cameron	U-Type	7 1/16"	5.000 PSI	2
Double RAM BOP	Cameron	U-Type	7 1/16"	10.000 PSI	4
Double RAM BOP	Cameron	U-Type	11"	10.000 PSI	5
Double RAM BOP	Stewart & Stevenson	U-Type	13 5/8"	5.000 PSI	1
Double RAM BOP	Cameron	U-Type	13 5/8"	5.000 PSI	6
Double RAM BOP	NOV / Shaffer	LXT	13 5/8"	5.000 PSI	2
Double RAM BOP	Townsend - Cameron	T82	13 5/8"	5.000 PSI	2
Double RAM BOP	AXON	U-Type	13 5/8"	10.000 PSI	2
Double RAM BOP	T3	U-Type	13 5/8"	10.000 PSI	8
Double RAM BOP	Cameron	U-Type	13 5/8"	10.000 PSI	16
Double RAM BOP	Control Flow	U-Type	13 5/8"	10.000 PSI	1
Double RAM BOP	NOV / Shaffer	SL	13 5/8"	10.000 PSI	3
Double RAM BOP	Control Flow	U-Type	13 5/8"	15.000 PSI	1
Double RAM BOP	NOV / Shaffer	LWS	20 3/4"	3.000 PSI	2
Double RAM BOP	Cameron	U-Type	20 3/4"	3.000 PSI	1
Double RAM BOP	NOV / Shaffer	LWS	21 1/4"	2.000 PSI	2
Drilling Spool	Probe Oil Tools		13 5/8"	10.000 PSI	4
Drilling Spool	T3		13 5/8"	10.000 PSI	10
Drilling Spool	NOV		13 5/8"	10.000 PSI	2
Drilling Spool	NOV		20 3/4"	3.000 PSI	2
BOP Closing Unit	Cameron / Burnsco		6 Stations	3.000 PSI	2
BOP Closing Unit	T3 / Oilco		5 Stations	3.000 PSI	3
BOP Closing Unit	Cameron		8 Stations	3.000 PSI	2
BOP Closing Unit	T3		8 Stations	3.000 PSI	5
BOP Closing Unit	Max Streicher		6 Stations	3.000 PSI	2
BOP Closing Unit	CPC		7 Stations	3.000 PSI	3
Choke Manifold	T3		3 1/8"	5.000 PSI	3
Choke Manifold	Deep Drill		3 1/16"	10.000 PSI	4
Choke Manifold	T3		3 1/16"	10.000 PSI	2

REFERENCE LIST

for Inspection and repair of Well Control Equipment onshore / offshore

Impressions of performed projects:



Shaffer Double Ram LWS 21 1/4"x2M



Shaffer Spherical Annular 7 1/16"x3M



Shaffer Double Ram LWP 7 1/16"x3M



T3 7021 Diverter 29 1/2"x500 psi



Cameron U Single Ram 13 5/8"x10M



T3 Closing Unit